

# HERO®



# HERO®




منتجات هيرو صنعت بجودة عالية  
[www.heroglob.com](http://www.heroglob.com)

## DATASHEET

ITEM NO.: S2-GU10-7WS

### Product Image



Model:	VBC07WW/VBC07NW/VBC07
Voltage:	AC220-240V 50/60Hz
Wattage:	7W
Luminous flux:	490LM
Efficacy:	70LM/W
Color temperature:	3000K/4000K/6500K
Lampholder:	GU10
PF:	>0.5
CRI:	>80
Lifetime:	30000Hours
Switching cycles:	15000

## DATASHEET

ITEM NO.: A60 SMART BULB

### Product Image




Model:	VBA09W
Voltage:	AC220-240V 50/60Hz
Wattage:	9W
Luminous flux:	810LM
Efficacy:	90LM/W
Color temperature:	RGB CCT 3000-6500K
Lampholder:	E27
PF:	>0.5
CRI:	>80
Lifetime:	30000Hours
Switching cycles:	15000

# DATASHEET

ITEM NO.: S2-A60-9WA / S2-A60-12WA / S2-A60-15WA

## Product Image




Model:	VBA09	VBA093K	VBA12	VBA123K	VBA15	VBA153K
Voltage:	AC220-240V 50/60Hz					
Wattage:	9W	9W	12W	12W	15W	15W
Luminous flux:	810LM	720LM	1080LM	960LM	1350LM	1200LM
Efficacy:	90LM/W	80LM/W	90LM/W	80LM/W	90LM/W	80LM/W
Color temperature:	6500K	3000K	6500K	3000K	6500K	3000K
Lampholder:	E27					
PF:	>0.5					
CRI:	>80					
Lifetime:	30000Hours					
Switching cycles:	15000					

# DATASHEET

ITEM NO.: S2-T80-20WA / S2-T100-30WA / S2-T120-40WA / S2-T140-50WA

## Product Image



Model:	VTL20	VTL30	VTL40	VTL50
Voltage:	AC220-240V 50/60Hz			
Wattage:	20W	30W	40W	50W
Luminous flux:	1800LM	2700LM	3600LM	4500LM
Efficacy:	90LM/W			
Color temperature:	6500K			
Lampholder:	E27			
PF:	>0.5	>0.9	>0.9	>0.9
CRI:	>80			
Lifetime:	30000Hours			
Switching cycles:	15000			

## DATASHEET

ITEM NO.: S2-C37-5WA

### Product Image



Model:	VBL05 / VBL05W
Voltage:	AC220-240V 50/60Hz
Wattage:	5W
Luminous flux:	400LM
Efficacy:	80LM/W
Color temperature:	6500K/3000K
Lampholder:	E14
PF:	> 0.5
CRI:	> 80
Lifetime:	30000Hours
Switching cycles:	15000

## DATASHEET

ITEM NO.: S1-A60-6WA

### Product Image



Model:	VFLG07W
Voltage:	AC220-240V 50/60Hz
Wattage:	6W
Luminous flux:	600LM
Efficacy:	100LM/W
Color temperature:	2700K
Lampholder:	E27
PF:	> 0.5
CRI:	> 80
Lifetime:	30000Hours
Switching cycles:	15000

## DATASHEET

ITEM NO.: S1-C35-4WA

Product Image




Model:	VFLC05W
Voltage:	AC220-240V 50/60Hz
Wattage:	4W
Luminous flux:	400LM
Efficacy:	100LM/W
Color temperature:	2700K
Lampholder:	E14
PF:	> 0.5
CRI:	> 80
Lifetime:	30000Hours
Switching cycles:	15000

## DATASHEET

ITEM NO.: S1-C35L-4WA

Product Image




Model:	VFLC05W
Voltage:	AC220-240V 50/60Hz
Wattage:	4W
Luminous flux:	400LM
Efficacy:	100LM/W
Color temperature:	2700K
Lampholder:	E14
PF:	> 0.5
CRI:	> 80
Lifetime:	30000Hours
Switching cycles:	15000

## DATASHEET

ITEM NO.: S1-G95S-10WA

Product Image



Model:	VFLA10W
Voltage:	AC220-240V 50/60Hz
Wattage:	10W
Luminous flux:	1000LM
Efficacy:	100LM/W
Color temperature:	2700K
Lampholder:	E27
PF:	> 0.5
CRI:	> 80
Lifetime:	30000Hours
Switching cycles:	15000

## DATASHEET

ITEM NO.: S1-ST64-8WA

Product Image



Model:	VFLA08WW
Voltage:	AC220-240V 50/60Hz
Wattage:	8W
Luminous flux:	800LM
Efficacy:	100LM/W
Color temperature:	2700K
Lampholder:	E27
PF:	> 0.5
CRI:	> 80
Lifetime:	30000Hours
Switching cycles:	15000